

Heating Cable Accessories



Adhesive Tape

Adhesive tape used for mounting heating cable.

Part Number	Description
PSAT36A	Fiberglass Adhesive Tape: Size: 0.5" x 108' (13mm x 38m) Temp Limit: 350°F (176°C)
AAT260	Aluminum Adhesive Tape: Size: 2" x 180' (51mm x 55m) Temp Limit: 350°F (176°C)
AAT2180	Aluminum Adhesive Tape: Size: 2" x 180' (51mm x 55m) Temp Limit: 550°F (288°C)

Junction Box

Metallic enclosure with watertight cover. Suitable for ordinary locations. NEMA 3R rated for outdoor/wet area use.

File No. 195978 File No. C22.2 No. 18

Part Number	Description
JBM050	Metallic Box 3 hub 1/2" NPT Dimensions: 2" x 4-1/2" x 2-3/4" (51mm x 114mm x 70mm)
JBM075	Metallic Box 3 hub 3/4" NPT Dimensions: 2" x 4-1/2" x 2-3/4" (51mm x 114mm x 70mm)
JBM100	Metallic Box 3 hub 1" NPT Dimensions: 2-5/8" x 4-1/2" x 2-3/4" (67mm x 114mm x 70mm)

Hazardous-Area Rated Junction Box available upon request.

INSUL-LOCK® DS Insulation

Flexible thermal insulation for pipes and tubing. Adhesive flap closure.



Part Number	Recommended Pipe/Tube O.D.	Insulation I.D.
INSUL78	1/2" - 5/8"	7/8"
INSUL118	3/4" - 7/8"	1-1/8"
INSUL138	1"	1-3/8"
INSUL158	1-1/8"	1-5/8"
INSUL2	1-3/8"	2"
INSUL218	1-5/8"	2-1/8"
INSUL238	2"	2-3/8"
INSUL258	2-1/8"	2-5/8"
INSUL278	2-3/8"	2-7/8"
INSUL318	2-5/8"	3-1/8"
INSUL312	2-7/8"	3-1/2"
INSUL358	3-1/8"	3-5/8"
INSUL418	3-1/2"	4-1/8"
INSUL412	4"	4-1/2"



Pipe Standoff

Aluminum standoff for mounting junction boxes to pipe.

Part Number	Description
PSOCAB075	3/4" NPT thread
PSOCAB010	1" NPT thread



Pipe Strap

Stainless steel pipe straps used to secure pipe standoff to pipe.

Part Number	Description
BPSCAB2-6	Adjustable from: 2" to 6" (51mm to 152mm)



RTV Sealant

Silicone sealant used to seal lead pouches, end pouches, and pipe standoffs.

Part Number	Description
RTV3.0	3 oz. (89ml)



NEW & IMPROVED

Monitor Light Kit for Self-Regulating and Constant Wattage Heating Cable

Provides an end of circuit continuity indication for all types of heating cable. Suitable for ordinary locations. NEMA 3R rated for outdoor/wet area use. Now with brighter LED.

Part Number	Description
MLK1001	120V LED
MLK2001	240V LED

Note: Lead termination kit required.
For SL series cables use SLCABLP
For FE series cables use FECABLP
For KE, KK, and KM series cables use KCABLP



Heat Conductive Putty

Used to fill voids between cable and pipe surface.

Part Number	Description
HCP1	Size: 1 lb. (0.5kg)
HCP3	Size: 3 lb. (1.4kg)



Electrical Tracing Caution Label

Recommended for every 10ft (3m) of heat trace.

Part Number	Description
BCLCAB	Caution label (English)
BCLCAB-DE	Caution label (Deutsch)
BCLCAB-ES	Caution label (Español)
BCLCAB-FR	Caution label (Français)
BCLCAB-IT	Caution label (Italiano)